

 **TUROLIGHT** 

**HAL  
SERIES**





# MR 16 ALUMINUM



## APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Museums
- Down Lights
- Hospitals
- Art Galleries
- Banks
- Restaurants
- Retail Stores

# HAL SERIES

PURE WHITE OUTPUT

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-MR16A-35	35	MR16 Halogen with Aluminum Backing	12	GX5.3	5000	10/200
TL-MR16A-50	50	MR16 Halogen with Aluminum Backing	12	GX5.3	5000	10/200
TL-MR16A/C/-50	50	MR16 Halogen with Aluminum Backing- With Glass Cover	12	GX5.3	5000	10/200

# MR 16 DICHORIC



## APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Museums
- Down Lights
- Hospitals
- Art Galleries
- Banks
- Restaurants
- Retail Stores

# HAL SERIES

HIGH COLOR FIDELITY

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-MR16-20	20	MR16 Halogen BAB with cover	12	GX5.3	4000	10/200
TL-MR16-35	35	MR16 Halogen FMW with cover	12	GX5.3	4000	10/200
TL-MR16-50	50	MR16 Halogen EXN with cover	12	GX5.3	4000	10/200
TL-MR16/C-20	20	MR16 Halogen BAB with cover	12	GX5.3	4000	10/200
TL-MR16/C-35	35	MR16 Halogen FMW with cover	12	GX5.3	4000	10/200
TL-MR16/C-50	50	MR16 Halogen EXN with cover	12	GX5.3	4000	10/200

# JDR 16



## APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Shopping Malls
- Retail Stores
- Hospitals
- Down lights
- Banks
- Restaurants

# HAL SERIES

LASTS OVER 2500 HRS

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TI-JDR16-35	35	MR16 Halogen with Medium Screw Base	120	E26	2500	10/200
TL-JDR16-50	50	MR16 Halogen with Medium Screw Base	120	E26	2500	10/200
TL-JDRLN-50	50	MR16 Halogen with Medium Screw Base- Long Neck	120	E26	2500	10/200

## PAR 20



### APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Shopping Malls
- Retail Stores
- Hospitals
- Down lights
- Banks
- Restaurants

**HAL  
SERIES**

**LASTS OVER 2500 HRS**

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-35PAR20	35	PAR20 Halogen Flood	120	E26	2500	20/100
TL-50PAR20/SP	50	PAR20 Halogen Spot	120	E26	2500	20/100
TL-50PAR20/FL	50	PAR20 Halogen Flood	120 / 130	E26	3000	20/100
TL-50PAR20/WFL	50	PAR20 Halogen Flood	120	E26	2500	20/100

## PAR 30



### APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Shopping Malls
- Retail Stores
- Hospitals
- Down lights
- Banks
- Restaurants

**HAL  
SERIES**

**HIGH COLOR FIDELITY**

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-50PAR30/FL	50	PAR30 Halogen Flood	120	E26	2500	20/60
TL-75PAR30/FL	75	PAR30 Halogen Flood	130	E26	2500	20/60
TL-75PAR30/FL/LN	75	PAR30 Long Neck Halogen Flood	120	E26	2500	20/60

## PAR 38



### APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Shopping Malls
- Retail Stores
- Hospitals
- Down lights
- Banks
- Restaurants

**HAL  
SERIES**

**PURE WHITE OUTPUT**

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-75PAR38-FL	75	PAR38 Halogen Flood	130	E26	2500	20
TL-90PAR38/FL	90	PAR38 Halogen Flood	130	E26	2500	20

## JC



### APPLICATIONS

- Chandelier Lighting
- Wall Sconces
- Floor and Table Lighting

# HAL SERIES

LASTS OVER 2500 HRS

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
JC-5-G4	5	Halogen Capsule- BI PIN	12	G4	4000	50
JC-10-G4	10	Halogen Capsule- BI PIN	12	G4	4000	50
JC-20-G4	20	Halogen Capsule- BI PIN	12	G4	4000	50
JC-35-G6	35	Halogen Capsule- BI PIN	12	GU6.35	4000	50
JC-50-G6	50	Halogen Capsule- BI PIN	12	GU6.35	4000	50
JC-75-G6	75	Halogen Capsule- BI PIN	12	GU6.35	4000	50

## JP



### APPLICATIONS

- Chandelier Lighting
- Wall Sconces
- Floor and Table Lighting

# HAL SERIES

HIGH COLOR FIDELITY

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
JP78-75	75	Double Ended Halogen Capsule- 78 mm	120	RSC	2000	50
JP78-100	100	Double Ended Halogen Capsule- 78 mm	120	RSC	2000	50
JP78-150	150	Double Ended Halogen Capsule- 78 mm	120	RSC	2000	50
JP78-200	200	Double Ended Halogen Capsule- 78 mm	120	RSC	2000	50
JP118-100	100	Double Ended Halogen Capsule- 118 mm	120	RSC	2000	50
JP118-150	150	Double Ended Halogen Capsule- 118 mm	120	RSC	2000	50
JP118-200	200	Double Ended Halogen Capsule- 118 mm	120	RSC	2000	50
JP118-300	300	Double Ended Halogen Capsule- 118 mm	120	RSC	2000	50
JP118-500	500	Double Ended Halogen Capsule- 118 mm	120	RSC	2000	50

## G 9



### APPLICATIONS

- Chandelier Lighting
- Wall Sconces
- Floor and Table Lighting

# HAL SERIES

PURE WHITE OUTPUT

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-G9-25	25	Halogen Capsule	120	G9	2000	50
TL-G9-35	35	Halogen Capsule	120	G9	2000	50
TL-G9-40	40	Halogen Capsule	120	G9	2000	50
TL-G9-50	50	Halogen Capsule	120	G9	2000	50
TL-G9-60	60	Halogen Capsule	120	G9	2000	50

## JDE



### APPLICATIONS

- Chandelier Lighting
- Wall Sconces
- Floor and Table Lighting

# HAL SERIES

LASTS OVER 2500 HRS

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-JDE-35	35	Halogen Capsule with Chandelier base	120	E11	2,500	100
TL-JDE-50	50	Halogen Capsule with Chandelier base	120	E11	2,500	100

## MR 11



### APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Museums
- Down Lights
- Hospitals
- Art Galleries
- Banks
- Restaurants
- Retail Stores

# HAL SERIES

HIGH COLOR FIDELITY

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-MR11-20/FTB	20	Halogen Capsule with 10° Beam Spread	12	GU4	2000	10/200
TL-MR11-20/FTD	20	Halogen Capsule with 30° Beam Spread	12	GU4	2000	10/200
TL-MR11-35/FTH	35	Halogen Capsule with 30° Beam Spread	12	GU4	2000	10/200
TL-MR11-20/C/FTB	20	Halogen Capsule with 10° Beam Spread- With Glass Cover	12	GU4	2000	10/200
TL-MR11-20/C/FTD	20	Halogen Capsule with 30° Beam Spread- With Glass Cover	12	GU4	2000	10/200
TL-MR11-35/C/FTH	35	Halogen Capsule with 30° Beam Spread- With Glass Cover	12	GU4	2000	10/200

## GU 10



### APPLICATIONS

- Open Fixtures
- Office Buildings
- Recessed Cans
- Shopping Malls
- Retail Stores
- Hospitals
- Down lights
- Banks
- Restaurants

# HAL SERIES

PURE WHITE OUTPUT

MODEL	WATTS	DESCRIPTION	VOLTS	BASE	AVG LIFE	BASE QTY
TL-GU10-35	35	MR16 Halogen with GU10 base	120	GU10	2,000	10/200
TL-GU10-50	50	MR16 Halogen with GU10 base	120	GU10	2,000	10/200