



**TUROLIGHT**

**LITE TRONICS**  
**CANADA**

**MICRO**



**BRITE**™



## MB S14



### APPLICATIONS

- General Lighting
- Sign
- Marquees

**MICRO  BRITE™**

| MODEL  | WATTS | DESCRIPTION                      | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|--------|-------|----------------------------------|--------|--------|------|-----|----------|---------|
| MB200  | 2     | 2W/S14/110-130V/Clear/Sign White | 2700   | 75     | E26  | 92  | 25,000   | 30      |
| MB201  | 2     | 2W/S14/110-130V/White/Sign White | 2700   | 75     | E26  | 92  | 25,000   | 30      |
| MB-204 | 2     | 2W/S14/110-130V/Clear/4000K      | 4000   | 75     | E26  | 92  | 25,000   | 30      |
| MB300  | 3     | 3W/S14/110-130V/Clear/Sign White | 2700   | 120    | E26  | 92  | 25,000   | 30      |
| MB301  | 3     | 3W/S14/110-130V/White/Sign White | 2700   | 120    | E26  | 92  | 25,000   | 30      |
| MB306  | 3     | 3W/S14/110-130V/Ceramic Yellow   | YELLOW |        | E26  | 92  | 25,000   | 30      |
| MB307  | 3     | 3W/S14/110-130V/Ceramic Red      | RED    |        | E26  | 92  | 25,000   | 30      |
| MB308  | 3     | 3W/S14/110-130V/Ceramic Blue     | BLUE   |        | E26  | 92  | 25,000   | 30      |
| MB309  | 3     | 3W/S14/110-130V/Ceramic Green    | GREEN  |        | E26  | 92  | 25,000   | 30      |
| MB311  | 3     | 3W/S14/110-130V/Clear/Red        | RED    |        | E26  | 92  | 25,000   | 30      |

## MB A15



### APPLICATIONS

- Signs
- Marquees
- Refrigerators
- Ceiling Fans

**MICRO  BRITE™**

| MODEL | WATTS | DESCRIPTION                             | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|-------|-------|-----------------------------------------|--------|--------|------|-----|----------|---------|
| MB400 | 4     | 4W/A15/110-130V/Clear/Sign White        | 2700   | 210    | E26  | 89  | 25,000   | 30      |
| MB401 | 4     | 4W/A15/110-130V/White/Sign White        | 2700   | 210    | E26  | 89  | 25,000   | 30      |
| MB404 | 4     | 4W/A15/110-130V/Clear/Sign White (CAND) | 2700   | 210    | E12  | 89  | 25,000   | 30      |

## MB C11



### APPLICATIONS

- Chandelier Lighting
- Wall Sconces
- Floor and Table Lighting

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                            | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|----------------------------------------|--------|--------|------|-----|----------|---------|
| MB524DP | 5     | 5W/C11/110-130V/Clear/LO/Pure White    | 2850   | 300    | E26  | 108 | 25,000   | 30      |
| MB525DP | 5     | 5W/C11/110-130V/White/LO/Pure White    | 2850   | 300    | E26  | 108 | 25,000   | 30      |
| MB527D  | 5     | 5W/C11/110-130V/Clear/Pink             | PINK   |        | E26  | 108 | 25,000   | 30      |
| MB540DP | 4     | 4W/C11/110-130V/Clear/E12LO/Pure White | 2850   | 210    | E12  | 108 | 25,000   | 30      |
| MB541DP | 4     | 4W/C11/110-130V/White/E12LO/Pure White | 2850   | 210    | E12  | 108 | 25,000   | 30      |

## MB A19S

### APPLICATIONS

- Marquees
- Signs
- Floor and Table Lighting
- General Lighting

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                             | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|-----------------------------------------|--------|--------|------|-----|----------|---------|
| MB310   | 3     | 3W/A19/110-130V/Clear/Sign White        | 2700   | 120    | E26  | 108 | 25,000   | 15      |
| MB500D  | 5     | 5W/A19/110-130V/Clear/Sign White        | 2700   | 300    | E26  | 108 | 25,000   | 15      |
| MB500DL | 5     | 5W/A19/110-130V/Clear/Litetronics White | 2700   | 300    | E26  | 108 | 25,000   | 15      |
| MB500DP | 5     | 5W/A19/110-130V/Clear/LO/Pure White     | 2850   | 300    | E26  | 108 | 25,000   | 15      |
| MB501D  | 5     | 5W/A19/110-130V/White/Sign White        | 2700   | 300    | E26  | 108 | 25,000   | 15      |
| MB501DL | 5     | 5W/A19/110-130V/White/Litetronics White | 2700   | 300    | E26  | 108 | 25,000   | 15      |
| MB501DP | 5     | 5W/A19/110-130V/White/LO/Pure White     | 2850   | 300    | E26  | 108 | 25,000   | 15      |
| MB502D  | 5     | 5W/A19/110-130V/White/4000K             | 4100   | 300    | E26  | 108 | 25,000   | 15      |
| MB507D  | 5     | 5W/A19/110-130V/Ceramic Yellow          | YELLOW |        | E26  | 108 | 25,000   | 15      |
| MB508D  | 5     | 5W/A19/110-130V/Ceramic Red             | RED    |        | E26  | 108 | 25,000   | 15      |
| MB528D  | 5     | 5W/A19/110-130V/Ceramic Blue            | BLUE   |        | E26  | 108 | 25,000   | 15      |
| MB529D  | 5     | 5W/A19/110-130V/Ceramic Green           | GREEN  |        | E26  | 108 | 25,000   | 15      |
| MB542   | 5     | 5W/A19/12V/Clear                        | 6400   |        | E26  | 108 | 25,000   | 15      |

## MB A19L

### APPLICATIONS

- Marquees
- Signs
- Bathroom Lighting
- Chandeliers

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                             | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|-----------------------------------------|--------|--------|------|-----|----------|---------|
| MB800DL | 8     | 8W/A19/110-130V/Clear/Litetronics White | 2850   | 460    | E26  | 124 | 25,000   | 15      |
| MB800DP | 8     | 8W/A19/110-130V/Clear/LO/Pure White     | 2700   | 460    | E26  | 124 | 25,000   | 15      |
| MB801DL | 8     | 8W/A19/110-130V/White/Litetronics White | 2850   | 460    | E26  | 124 | 25,000   | 15      |
| MB801DP | 8     | 8W/A19/110-130V/White/LO/Pure White     | 4000   | 460    | E26  | 124 | 25,000   | 15      |
| MB802D  | 8     | 8W/A19/110-130V/White/4000K             | YELLOW |        | E26  | 124 | 25,000   | 15      |
| MB803D  | 8     | 8W/A19/110-130V/Ceramic Yellow          | 2700   |        | E26  | 124 | 25,000   | 15      |
| MB807DL | 8     | 8W/A19/110-130V/Silver Bowl/White       | 2700   |        | E26  | 124 | 25,000   | 15      |

## MB G16

### APPLICATIONS

- Marquees
- Signs
- Bathroom Lighting
- Chandeliers

**MICRO  BRITE™**

| MODEL  | WATTS | DESCRIPTION                               | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|--------|-------|-------------------------------------------|--------|--------|------|-----|----------|---------|
| MB338L | 3     | 3W/G16.5/110-130V/Clear/Litetronics White | 2700   | 120    | E12  | 95  | 25,000   | 20      |
| MB339L | 3     | 3W/G16.5/110-130V/White/Litetronics White | 2700   | 120    | E12  | 95  | 25,000   | 20      |

## MB G25

### APPLICATIONS

- Marquees
- Signs
- Bathroom Lighting
- Building Perimeter Lighting

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                             | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|-----------------------------------------|--------|--------|------|-----|----------|---------|
| MB518D  | 5     | 5W/G25/110-130V/Clear/Sign White        | 2700   | 300    | E26  | 121 | 25,000   | 8       |
| MB518DL | 5     | 5W/G25/110-130V/Clear/Litetronics White | 2700   | 300    | E26  | 121 | 25,000   | 8       |
| MB519DP | 5     | 5W/G25/110-130V/White/LO/Pure White     | 2850   | 300    | E26  | 121 | 25,000   | 8       |
| MB520D  | 5     | 5W/G25/110-130V/Clear/4000K             | 4100   | 300    | E26  | 121 | 25,000   | 8       |
| MB521D  | 5     | 5W/G25/110-130V/White/4000K             | 4100   | 300    | E26  | 121 | 25,000   | 8       |

## MB G40

### APPLICATIONS

- Marquees
- Signs
- Bathroom Lighting
- Building Perimeter Lighting

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                             | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|-----------------------------------------|--------|--------|------|-----|----------|---------|
| MB522D  | 5     | 5W/G40/110-130V/Clear/Sign White        | 2700   | 300    | E26  | 162 | 25,000   | 4       |
| MB522CL | 5     | 5W/G40/110-130V/Clear/Litetronics White | 2700   | 300    | E26  | 162 | 25,000   | 4       |
| MB523DL | 5     | 5W/G40/110-130V/White/Litetronics White | 2700   | 300    | E26  | 162 | 25,000   | 4       |

## MB R20

### APPLICATIONS

- Marquees
- Signs
- Elevator Lighting
- Track and Recessed Lighting

**MICRO  BRITE™**

| MODEL   | WATTS | DESCRIPTION                           | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|---------|-------|---------------------------------------|--------|--------|------|-----|----------|---------|
| MB509DL | 5     | 5W/R20/110-130V/Frosted Face/White    | 2700   | 215    | E26  | 103 | 25,000   | 15      |
| MB509DP | 5     | 5W/R20/110-130V/Frosted Face/LO/White | 2850   | 215    | E26  | 103 | 25,000   | 15      |
| MB510D  | 5     | 5W/R20/110-130V/Clear Face/Sign White | 2700   | 215    | E26  | 103 | 25,000   | 15      |
| MB510DL | 5     | 5W/R20/110-130V/Clear Face/White      | 2700   | 215    | E26  | 103 | 25,000   | 15      |
| MB511D  | 5     | 5W/R20/110-130V/Clear Face/4000K      | 4100   | 215    | E26  | 103 | 25,000   | 15      |
| MB512D  | 5     | 5W/R20/110-130V/Frost Face/Pink       | PINK   |        | E26  | 103 | 25,000   | 15      |
| MB513D  | 5     | 5W/R20/110-130V/Frost Face/Green      | GREEN  |        | E26  | 103 | 25,000   | 15      |
| MB514D  | 5     | 5W/R20/110-130V/Frost Face/Blue       | BLUE   |        | E26  | 103 | 25,000   | 15      |
| MB533D  | 5     | 5W/R20/110-130V/Frost Face/Red        | RED    |        | E26  | 103 | 25,000   | 15      |

## MB BR30

### APPLICATIONS

- Marquees
- Signs
- Elevator Lighting
- Track and Recessed Lighting


**MICRO  BRITE™**

| MODEL      | WATTS | DESCRIPTION                               | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|------------|-------|-------------------------------------------|--------|--------|------|-----|----------|---------|
| TL-MB900DL | 8     | 8W/BR30/110-130V/Frost Face/White         | 2700   | 350    | E26  | 136 | 18000    | 6       |
| TL-MB900DP | 8     | 8W/BR30/110-130V/Frost Face/LO/Pure White | 2850   | 350    | E26  | 136 | 18000    | 6       |
| TL-MB901D  | 8     | 8W/BR30/110-130V/Frost Face/4000K         | 4100   | 350    | E26  | 136 | 18000    | 6       |
| TL-MB902D  | 8     | 8W/BR30/110-130V/Frost Face/Pink          | PINK   |        | E26  | 136 | 18000    | 6       |

## MB PAR38

### APPLICATIONS

- Marquees
- Signs
- Elevator Lighting
- Track and Recessed Lighting

**MICRO  BRITE™**

| MODEL      | WATTS | DESCRIPTION                           | COLOUR | LUMENS | BASE | MOL | AVG LIFE | BOX QTY |
|------------|-------|---------------------------------------|--------|--------|------|-----|----------|---------|
| TL-MB850DR | 8     | 8W/PAR38/110-130V/Flood/Red           | RED    |        | E26  | 146 | 18000    | 6       |
| TL-MB850DG | 8     | 8W/PAR38/110-130V/Flood/Green         | GREEN  |        | E26  | 146 | 18000    | 6       |
| TL-MB850DB | 8     | 8W/PAR38/110-130V/Flood/Blue          | BLUE   |        | E26  | 146 | 18000    | 6       |
| TL-MB850DY | 8     | 8W/PAR38/110-130V/Flood/Yellow        | YELLOW |        | E26  | 146 | 18000    | 6       |
| TL-MB851DP | 8     | 8W/PAR38/110-130V/Flood/LO/Pure White | 2850   | 380    | E26  | 146 | 18000    | 6       |
| TL-MB852D  | 8     | 8W/PAR38/110-130V/Flood/4000K         | 4100   | 380    | E26  | 146 | 18000    | 6       |