

# TUROLIGHT MPL SERIES





## PLS 5



### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	BASE	LUMENS	MOL
TL-PLS5-2700	5	Twin Tube, CFL Plug-In, 2 PIN	2700	G23	320	128
TL-PLS5-4100	5	Twin Tube, CFL Plug-In, 2 PIN	4100	G23	320	128

## PLS 7



### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	BASE	LUMENS	MOL
TL-PLS7-2700	7	Twin Tube, CFL Plug-In, 2 PIN	2700	G23	480	133
TL-PLS7-4100	7	Twin Tube, CFL Plug-In, 2 PIN	4100	G23	480	133

## PLS 9



### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	BASE	LUMENS	MOL
TL-PLS9-2700	9	Twin Tube, CFL Plug-In, 2 PIN	2700	G23	600	165
TL-PLS9-3500	9	Twin Tube, CFL Plug-In, 2 PIN	3500	G23	600	165
TL-PLS9-4100	9	Twin Tube, CFL Plug-In, 2 PIN	4100	G23	600	165

## PLS 13



### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	BASE	LUMENS	MOL
TL-PLS13-2700	13	Twin Tube, CFL Plug-In, 2 PIN	2700	GX23	900	175
TL-PLS13-3500	13	Twin Tube, CFL Plug-In, 2 PIN	3500	GX23	900	175
TL-PLS13-4100	13	Twin Tube, CFL Plug-In, 2 PIN	4100	GX23	900	175
TL-PLS13-6400	13	Twin Tube, CFL Plug-In, 2 PIN	6400	GX23	900	175

## PLC 2P

### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	LUMENS	BASE	MOL
TL-PLC9-27K	9	Double Twin Tube-Plug in- 2 PIN	2700	600	G23-2	110
TL-PLC9-41K	9	Double Twin Tube-Plug in- 2 PIN	4100	600	G23-2	110
TL-PLC13-2P-27K	13	Double Twin Tube-Plug in- 2 PIN	2700	900	GX23-2	116
TL-PLC13-2P-35K	13	Double Twin Tube-Plug in- 2 PIN	3500	900	GX23-2	116
TL-PLC13-2P-41K	13	Double Twin Tube-Plug in- 2 PIN	4100	900	GX23-2	116

## PLC 4P

### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	LUMENS	BASE	MOL
TL-PLC13-4P-27K	13	Double Twin Tube-Plug in- 4 PIN	2700	900	G24q-1	116
TL-PLC13-4P-35K	13	Double Twin Tube-Plug in- 4 PIN	3500	900	G24q-1	116
TL-PLC13-4P-41K	13	Double Twin Tube-Plug in- 4 PIN	4100	900	G24q-1	116
TL-PLC18-27K	18	Double Twin Tube-Plug in- 4 PIN	2700	1300	G24q-2	165
TL-PLC18-35K	18	Double Twin Tube-Plug in- 4 PIN	3500	1300	G24q-2	165
TL-PLC18-41K	18	Double Twin Tube-Plug in- 4 PIN	4100	1300	G24q-2	165
TL-PLC26-27K	26	Double Twin Tube-Plug in- 4 PIN	2700	1800	G24q-3	175
TL-PLC26-35K	26	Double Twin Tube-Plug in- 4 PIN	3500	1800	G24q-3	175
TL-PLC26-41K	26	Double Twin Tube-Plug in- 4 PIN	4100	1800	G24q-3	175

## PLL

### APPLICATIONS

- General Lighting
- Recessed Cans
- Table Lighting

**TUROLIGHT**  
PL SERIES

MODEL	WATTS	DESCRIPTION	COLOUR	LUMENS	BASE	MOL
TL-PLL36-35K	36	PLL-Plug in-CFL	3500	2940	2G11	570
TL-PLL36-41K	36	PLL-Plug in-CFL	4100	2940	2G11	570
TL-PLL36-50K	36	PLL-Plug in-CFL	5000	2940	2G11	570
TL-PLL40-35K	40	PLL-Plug in-CFL	3500	3200	2G11	570
TL-PLL40-41K	40	PLL-Plug in-CFL	4100	3200	2G11	570
TL-PLL40-50K	40	PLL-Plug in-CFL	5000	3200	2G11	570